

Equipment : RWC2010B, Digital Radio Tester

Revision History

Version	Date	Description
Version 1.631	09Nov.2020	<ol style="list-style-type: none">1. Fixed a bug where FIG0/13 information was not transmitted when the data channel was set as a secondary component in DAB.
Version 1.630	11Sept.2020	<ol style="list-style-type: none">1. Added TAG on/off function in DL+ of DAB.2. There was an error in DAB sending FIG104 once with the previous configuration after reconfiguration was complete. Fixed in this version.3. In FM RDS, an AUDIO_VOLUME parameter has been added to control the audio volume.4. Improved stereo FM Left/Right separation rate.5. In FM RDS, an MUSIC_SPEECH parameter has been added to set program type.6. In DAB, user can select and transmit either normal or extended labels, but it has been improved to transmit simultaneously.7. In DAB, encoding flag, number of segments, character flag fields should be transmitted only when the segment index is 0, but it is always transmitted..8. Fixed a bug where the RT was transmitted even though eRT was selected in FM RDS.9. Fixed a bug where the LANGUAGE parameter was not transmitted on FM RDS10. The sampling frequency of the DRM_IQ file was fixed at 48KHz, which was not enough for DRM Plus. To improve this, 192KHz and 250KHz sampling frequencies have been added to the DRM IQ mode.11. Sampling frequency was fixed at 22.05KHz for FM and AM wave files. A 44.1KHz sampling frequency wave file is also available in this version.12. Added Text Control function for DAB Label.13. File deletion function and file size calculation function bug fixed.

		<p>14. Improved FW upgrade function. FW data was immediately written to flash memory without checking the parity of the entire data. Changed to check the parity of entire data before writing to flash memory.</p> <p>15. Fixed a bug where the DRM MDI player could not decode stream parameters correctly and transmit the stream properly.</p>
Version 1.620	08Jan.2020	<ol style="list-style-type: none"> 1. Applied TS103_176 specification for DAB Alternative Frequency Test function. 2. Reduce repeat number and time of EON switching information 3. Add SFN Off function to prohibit unexpected interrupt signal form data IO port 4. DL+ command in DAB mode set Link bit as 0. It should be the same as DL message toggle bit. 5. DL+ of DAB had a bug. Contents Indicator of F-PAD for DL+ command was not correct. 6. In DAB announcement function test, the target channel value on GUI was not matched with real transmitted one. 7. Other Ensemble test function mode for DAB announcement is added. 8. DAB EID and SID used the same Country code. So when one of them changed, the other was updated too. From this version EID and SID will be independent. 9. If the Label encoding mode is UCS_2, only HEX edit mode is allowed to modify 2-byte characters. 10. Headline edit function is added to DAB DLS and FM-RDS Radio Text.
Version 1.610	16Sept.2019	<ol style="list-style-type: none"> 1. Add Extended Label function for DAB. It is applied to Ensemble Label, Service Label, and Service Component Label. 2. Improve Alternative Frequency test function for DAB. <ul style="list-style-type: none"> - FIG0/6 is added to inform related service lists. - Multiple EID lists can be used - Short term format is added 3. SDC Entity type 11 data becomes incorrect when region and schedule restriction is applied for AM, FM_RDS, DAB in DRM for testing Announcement 4. Add DRM Announcement On/Off function

		<ol style="list-style-type: none"> 5. Add DRM AF Method Parameter to support Method A and B. 6. Remote commands for seamless linking test are added 7. LCD On/Off function is added
Version 1.600	12Apr.2019	<ol style="list-style-type: none"> 1. SDC Entity type 11 data becomes incorrect when region and schedule restriction is applied for AM,FM_RDS,DAB in DRM for testing AFS 2. Add DRM AFS On/Off function 3. It transmitted only SDC 0 when BW is 4.5 or 5 and SDC mode is QPSK. It is fixed to transmit other SDC information 4. Add FIG0/7(Configuration information) for DAB V2.01 5. Delete FIG0/16 for DAB V2.01 6. Add FIG0/13 for PAD
Version 1.590	10Oct.2018	<ol style="list-style-type: none"> 1. Add UTC parameter for RDS Time information.
Version 1.580	20June.2018	<ol style="list-style-type: none"> 1. FM-RDS improves TMS functionality to support up to 5 TMS groups. 2. Bug fix for DRM UEP function. Problem with audio when maximum part A length is reached.
Version 1.570	25Jan.2018	<ol style="list-style-type: none"> 1. Add FM Stereo mode parameter to make it easy of left and right separation testing. 2. Fix the bug of PS name information in FM RDS (change the repetition rate for data group 0)
Version 1.560	16Aug.2017	<ol style="list-style-type: none"> 1. Reduce FM audio gain to avoid FM saturation problem. 2. In DRM, SDC type 10 was transmitted always. It is modified to transmit only during reconfiguration. 3. In DRM, there is a LTO parameter on GUI but SDC type 8 did not include this LTO information (optional). It is modified to include LTO information in SDC type 8.
Version 1.550	02June.2017	<ol style="list-style-type: none"> 1. Add Pre-emphasis function with selectable three time-constant values (25, 50, 75us) for FM Mode. 2. When services are turned on non-sequentially, the information about services had problem in DRM mode. It is fixed in this version. 3. Fix the bug of DAB announcement function. <p>Caution: After upgrade, previous Save/Recall will be reset.</p>
Version 1.530	13Feb.2017	<ol style="list-style-type: none"> 1. In HEX edition mode of string like DLS, LABEL, etc..., string

		<p>length could be calculated not correctly when the special code is used. It is fixed in this version.</p> <ol style="list-style-type: none"> In DRM, the information of number of services had problem. It is fixed in this version. In Stereo FM, 19KHz pilot signal level control parameter is added.
Version 1.520	01Nov.2016	<ol style="list-style-type: none"> Multi-channel FM function could transmit the same audio wave in previous version. From this version, each FM channel can transmit different audio files. <p>Caution: The sampling frequency of wave files should be 22.05 KHz. Please download new wave files from our web hard or generate your own wave files.</p>
Version 1.510	28Sep.2016	<ol style="list-style-type: none"> Add Headline message for text message in DRM Add STREAM submenu and divide stream related parameters from service submenu in DRM mode. Each service allowed only one stream so far. From this version, each service could have multiple streams. Change submenu name of ENSEMBLE as MULTIPLEX in DRM Change submenu name of FM and RDS as FM_RDS_0 ~ FM_RDS_4. <p>Caution: After upgrade, previous Save/Recall will be reset.</p>
Version 1.500	24Aug.2016	<ol style="list-style-type: none"> Add xHE-AAC transfer function and contents for DRM Add Data channel (SLS, BWS) for DRM Add Multi channel FM transfer function. Up to 5 FM channels could be transmitted simultaneously. Each FM channel has independent RDS Data channel. Improve DRM Announcement function. Announcement signal could be assigned to each service separately
Version 1.400	30Jun.2016	<ol style="list-style-type: none"> Add IQ file Play function for DRM30. Increase the Maximum number of DAB Secondary Component from 1 to 3
Version 1.370	02Jun.2016	<ol style="list-style-type: none"> Improve DAB/DRM Announcement Test function. Multiple announcement switching flags are possible from this version. For more detail information, please refer to manual (Ver1.30). In DRM, Language code and Country code parameters are added. (SDC type 12)
Version 1.360	14.Apr.2016	<ol style="list-style-type: none"> ALC algorithm for AM power setting is improved.

		<ol style="list-style-type: none"> 2. Modify the way to go Remote Command Screen by key input. It was impossible to go Remote Command Screen by key input.
Version 1.350	25.Mar.2016	<ol style="list-style-type: none"> 1. Improve Alternative Frequency test function for DAB. 2. When the seamless linking test is running, Alternative Frequency parameters are set automatically according to the slave unit setting. 3. ALC algorithm for DRM OFDM power setting is improved
Version 1.340	25.Feb.2016	<ol style="list-style-type: none"> 1. Add RDS-TMC editing function. 2. Add RDS type-3A for TMC parameters. 3. Improve RDS EON function. For various EON Parameters, added RDS type-14A. 4. Add Alternative Frequency test function for DRM.
Version 1.330	25.Jan.2016	<ol style="list-style-type: none"> 1. In DRM, SDC type-10 definition was not correct. It may cause that DUT could not receive SDC type-10 during Reconfiguration. Fixed it in this version. 2. In DRM, during the reconfiguration with changing of MSC mode, 64QAM and 16QAM modulation should be multiplexed for a while. But it was changed immediately. Fixed it in this version. 3. In DRM, Announcement related SDC has wrong flag (Same Multiplex/Other Service flag). Fixed it in this version.
Version 1.320	24.Dec.2015	<ol style="list-style-type: none"> 1. Increase frequency resolution from 1KHz to 1Hz. 2. Add Hz unit for frequency setting. 3. Add user configurable power extension mode. In this mode, maximum output power is increased by 10dB.
Version 1.310	04.Dec.2015	<ol style="list-style-type: none"> 1. Add following DRM parameters as Reconfiguration related parameters. <ol style="list-style-type: none"> A. ROBUSTNESS, SPECTRUM, INTERLEAVING, MSC_MODE, SDC_MODE, TEXT_FLAG 2. Fix the bug of FAC repetition pattern in DRM. 3. In DAB Announcement test function, added SOURCE_SRV parameters to test the source services independently. 4. Added All 0 and 1 pattern data for DRM data stream.
Version 1.300	25.Sept.2015	<ol style="list-style-type: none"> 1. Increase the number of Save/Recall from 10 to 60. Caution: After upgrade, previous Save/Recall will be reset. 2. Add Short Cut key (M1 ~ M4) editing parameters on 'SETUP/SYSTEM' screen. Refer to the clause 2.3.6 of the manual

		<p>(version1.14) for detail information.</p> <ol style="list-style-type: none"> Step Parameters are added for Frequency and Power setting Refer to the clause 2.5 of the manual (version1.14) for detail information. KHz unit is added for Frequency Parameter. In DRM, the start value of reconfiguration index is changed from 6 to 7. In DRM, after reconfiguration, AFS index value was fixed in RWC2010B. But according the specification, this value should be changed after Reconfiguration. In this version, this problem is fixed.
Version 1.270	10.July.2015	<ol style="list-style-type: none"> Added AF(Alternative Frequency) function in DRM service. For the detail test method, please refer to page 75 of the manual(version 1.13)
Version 1.260	28.July.2015	<ol style="list-style-type: none"> Added DRC(Dynamic Range Control) for the PAD service in DAB. For the detail test method, please refer to page 53 of the manual(version 1.13)
Version 1.250	09.July.2015	<ol style="list-style-type: none"> Memory allocation problem could be happened during the switching Test Mode from FM to AM. Then AM function could not work correctly. This problem is fixed in this version.
Version 1.240	30.June.2015	<ol style="list-style-type: none"> AM was not allowed for Seamless Linking Test. In this version, AM also could be the slave part of seamless linking test. For the Seamless Linking test method, please refer to page 90 of the manual(version 1.11) Added Audio tone sweep function for Analog AM and FM test. For the detail test method, please refer to page 83 of the manual(version 1.11) for FM Sweep test and page 86 for AM Sweep test. Space character was not allowed for label or text editing remote commands. In this version, space character is also allowed for those remote commands. When the RF_OUT is set as OFF, RWC2010B had some leakage output power. It is improved that RWC2010B does not make any leakage output power.
Version 1.230	15.June.2015	<ol style="list-style-type: none"> Improved DAB/DRM Announcement Function and Menu. Please refer to page 61 of the manual(version 1.11) for more detail information.